This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

PHARMACOPŒIA

OF

T. BARTHOLOMEW'

HOSPITAL.

R1
O.

PRESS G 143
SHELF 6
No 6.

16921 f. 10

RADCLIFFE LIBRARY
UNIVERSITY
14 SEP 85
MUSEUM
OXFORD

PHARMACOPŒIA

OF

St. Bartholomew's Hospital.

LONDON:
PRINTED BY J. E. ADLARD,
BARTHOLOMEW CLOSE.

1869.

Medical Officers of the Hospital.

Consulting Physician—DR. BURROWS.

Consulting Surgeons.

MR. SKEY.	MR. WORMALD.

Physicians.

DR. FARRE.	DR. HARRIS.
DR. BLACK.	DR. ANDREW.

Surgeons.

MR. PAGET.	MR. HOLDEN.
MR. COOTE.	MR. SAVORY.

Assistant Physicians.

DR. SOUTHEY.	DR. GEE.
DR. CHURCH.	DR. DUCKWORTH.

Assistant Surgeons.

MR. CALLENDER.	MR. WILLETT.
MR. SMITH.	MR. LANGTON.

Physician-Accoucheur—DR. GREENHALGH.

Surgeon-Dentist—MR. COLEMAN.

PREFACE.

THE object of this Pharmacopœia is to lescribe certain medicinal preparations and ompounds which are frequently employed n St. Bartholomew's Hospital, but are not ontained in the British Pharmacopœia.

The substances named in these preparaions have been taken, with very few exeptions, from the British Pharmacopœia f 1867; and the weights and measures mployed are such as are authorised in hat work.

The adoption of the English language in he British Pharmacopœia justifies the use f the *same* language in this Hospital Phar-

macopœia; but the medicines themselves are designated, as they also are in the British Pharmacopœia, by a Latin as well as by an English name, for the convenience of prescription.

A Table has been appended of the Doses of Officinal Medicines recommended in the British Pharmacopœia, which will probably be found a useful and convenient addition.

CONTENTS.

	PAGE
Medical Officers of the Hospital . . .	iii
Preface	v
Substances employed in the Hospital Preparations, but not contained in the British Pharmacopœia	viii
List of new Preparations contained in the present Pharmacopœia	ix
List of Preparations whose name has been altered	xiii
List of Preparations whose composition has been altered	xiv
The Pharmacopœia	1
Diet Table	54
Table of Doses of Officinal Medicines, from the 'British Pharmacopœia' . . .	56
Index	67

Substances employed in the Hospital Preparations, but not contained in the British Pharmacopœia.

Cape Aloes.

Commercial Extract of Liquorice.

Oil of Cassia.

Oil of Marjoram.

Sea-salt.

Size (gluten).

NEW PREPARATIONS

Contained in the present Pharmacopœia.

Aqua Carui.
—— Caryophylli.
—— Cassiæ.
—— Menthæ Piperitæ.
—— Menthæ Viridis.
Balneum Acidum.
—— Alkalinum.
—— Calidum.
—— Creasoti.
—— Glutinis.
—— Marinum.
—— Sulphureum.
—— Tepidum.
nfectio Boracis.
coctum Aloes Compositum.
—— Hemidesmi Compositum.

Enema Olei Ricini.
Fotus Belladonnæ.
—— Papaveris.
Gargarisma Aluminis Compositum.
Glycerinum Acidi Gallici.
Haustus Acidi Gallici.
——— Acidi Hydrocyanici.
——— Acidi Nitro-hydrochlorici.
——— Ætheris Ammoniatus.
——— Calumbæ Compositus.
——— Ferri et Ammoniæ Citratis.
——— Gentianæ cum Rheo.
——— Gentianæ cum Senna.
——— Hemidesmi cum Potassii Iodido.
——— Olei Morrhuæ.
——— Olei Morrhuæ Alkalinus.
——— Olei Ricini.
——— Olei Ricini Alkalinus.
——— Potassæ Chloratis.
——— Potassæ Effervescens.
——— Potassii Iodidi Ammoniatus.
——— Quassiæ cum Ferro.
——— Quiniæ cum Ferro.
——— Sodæ Tartratis.
——— Valerianæ cum Hyoscyamo.

Haustus Zinci Emeticus.
Linctus cum Ipecacuanha.
Lotio Aceti.
—— Acidi Carbolici.
—— Acidi Sulphurosi.
—— Aluminis Composita.
—— Aluminis Mitissima.
—— Atropiæ Sulphatis.
—— Boracis cum Potassæ Chlorate.
—— Cupri Sulphatis.
—— Ferri Sulphatis.
—— Hydrargyri Perchloridi.
—— Plumbi Acetatis.
—— Potassæ Permanganatis.
—— Zinci Sulphatis Mitior.
Oleum Carbolatum.
Pilula Aloes cum Nuce Vomica.
—— Creasoti.
—— Creasoti cum Assafœtida.
—— Ferri Redacti.
—— Hydrargyri Perchloridi cum Belladonna.
Potassa cum Calce.
Pulvis Cretæ Aromaticus cum Rheo.
Spiritus Ammoniæ Aromaticus.

Spiritus Ammoniæ Fœtidus.
——— Carui.
——— Caryophylli.
——— Cassiæ.
——— Menthæ Piperitæ.
——— Menthæ Viridis.
Syrupus Papaveris.
——— Rhœados.
Vinum Ipecacuanhæ.

Preparations whose Name has been altered in the present Pharmacopœia.

PHARMACOPŒIA 1861.	PHARMACOPŒIA 1869.
llyrium Aluminis.	Lotio Aluminis Mitior.
— Argenti Nitratis.	— Argenti Nitratis Mitior.
nfectio Cinchonæ.	Confectio Cinchonæ Flavæ.
— Ferri Potassio-tartratis.	— Ferri Tartarati.
— Jalapæ Composita.	— Jalapæ.
— Potassæ Bitartratis.	— Potassæ Tartratis Acidæ.
— Sulphuris Composita	— Sulphuris.
coctum Sarsæ Compositum.	Decoctum Hemidesmi Compositum.
rgarisma Acidi Acetici.	Gargarisma Aceticum.
— Acidi Hydrochlorici.	— Hydrochloricum.
ıustus Aromaticus.	Haustus Cretæ Aromaticus.
— Aromaticus cum Rheo.	— Cretæ Aromaticus cum Rheo.
— Cinchonæ Compositus.	— Cinchonæ Acidus.
— Colchici Compositus.	— Colchici.
— Cretæ Compositus.	— Cretæ Aromaticus cum Opio.
— Emeticus.	— Ipecacuanhæ Emeticus.
— Sodæ Tartratis.	— Sodæ Effervescens.
nimentum Plumbi cum Oleo.	Linimentum Plumbi.
tio Hydrargyri Bichloridi Amygdalina.	Lotio Hydrargyri Perchloridi Hydrocyanica.
— Potassii Sulphureti.	— Potassæ Sulphuratæ.
ıum Ferri.	Liquor Ferri Tartarati.

Preparations whose Composition has been altered in the present Pharmacopœia.

Confectio Aluminis	Treacle *for* Confection of Roses.
— Jalapæ	30 gr. Compound Jalap Powder *for* about 7 gr. Jalap and 40 gr. Bitartrate of Potash.
Gargarisma Capsici	10 min. Tincture of Capsicum *for* 15 min.
— Sodæ Chloratæ	30 min. Solution of Chlorinated Soda *for* 20 min.
Haustus Aloes et Camphoræ	2 gr. Cape Aloes *for* 3 gr.
— Ammoniæ Acetatis cum Scilla.	20 min. Vinegar of Squill *for* 30 min.
— Camphoræ Fœtidus	15 min. Fetid Spirit of Ammonia *for* 20 min. Comp. Tinct. of Cardamoms *omitted.*
— Cascarillæ cum Scilla	Tincture of Squill *for* Vinegar of Squill.
— Cinchonæ Acidus	Infusion of Roses *omitted.*
— Colchici	15 min. Tincture of Colchicum *for* 20 min.
— Copaibæ Compositus	30 gr. Cubebs *for* 60 gr.
— Cretæ Aromaticus cum Opio.	Aromatic Powder of Chalk and Opium *for* Pulvis Cretæ Compositus *Ph. Lond.*
— Rhei cum Magnesia	30 gr. Compound Rhubarb Powder *for* 10 gr. Rhubarb and 10 gr. Carbonate of Magnesia.
— Terebinthinæ	20 min. Oil of Turpentine *for* 30 min.
Liquor Ferri Tartarati (Vinum Ferri, 1861).	8 gr. Tartarated Iron *for* 10 gr.
Lotio Hydrargyri Perchloridi Hydrocyanica.	Glycerine and Hydrocyanic Acid *for* Bitter Almonds.
— Quercus Composita	4 gr. Sulphate of Zinc and 4 gr. Alum *for* 8 gr. Alum.
Pilula Ferri Fœtida	3 gr. Saccharated Carb. of Iron *for* 2 gr. Peroxide of Iron.

The Draughts have been, with very few exceptions, reduced *in quantity from 1½ ounces to* 1 ounce.

PHARMACOPŒIA.

AQUA CARUI.

CARAWAY WATER.

Take of

Spirit of Caraway	...	30 minims,
Distilled Water	...	to 1 pint.

Mix.

It contains 1½ minims of oil of caraway.

AQUA CARYOPHYLLI.

CLOVE WATER.

Take of

Spirit of Cloves	...	30 minims,
Distilled Water	...	to 1 pint.

Mix.

It contains 1½ minims of oil of cloves.

AQUA CASSIÆ.

CASSIA WATER.

Take of

Spirit of Cassia	...	30 minims,
Distilled Water	...	to 1 pint.

Mix.

It contains 1½ minims of oil of cassia.

AQUA MENTHÆ PIPERITÆ.

PEPPERMINT WATER.

Take of

Spirit of Peppermint	.	30 minims,
Distilled Water	...	to 1 pint.

Mix.

It contains 1½ minims of oil of peppermint.

AQUA MENTHÆ VIRIDIS.

SPEARMINT WATER.

Take of

Spirit of Spearmint	...	30 minims,
Distilled Water	...	to 1 pint.

Mix.

It contains 1½ minims of oil of spearmint.

BALNEUM ACIDUM.

ACID BATH.

ake of

Nitric Acid	...	...	1½ fl. ounces,
Hydrochloric Acid		...	1 fl. ounce,
Water ...	...	...	30 gallons.

ix.

BALNEUM ALKALINUM.

ALKALINE BATH.

ake of

Carbonate of Soda		...	8 ounces,
Water ...	...	...	30 gallons.

issolve.

BALNEUM CALIDUM.

WARM BATH.

ake of

Water at 96° ...		...	30 gallons.

BALNEUM CREASOTI.

CREASOTE BATH.

ake of

Creasote	...	...	¼ fl. ounce,
Glycerine	...	...	2 fl. ounces,
Water ...	...	...	30 gallons.

ix.

BALNEUM GLUTINIS.

SIZE BATH.

Take of

Size	8 pounds,
Boiling Water ...	1 gallon.

Mix and add

Water	to 30 gallons.

BALNEUM MARINUM.

SALT-WATER BATH.

Take of

Sea-Salt	9 pounds,
Water	30 gallons.

Dissolve.

BALNEUM SULPHUREUM.

SULPHUR BATH.

Take of

Sulphurated Potash ...	8 ounces,
Water	30 gallons.

Dissolve.

BALNEUM TEPIDUM.

TEPID BATH.

Take of

Water at 90°	30 gallons.

CERATUM SIMPLEX.

SIMPLE CERATE.

'ake of

Yellow Wax ...	...	¼ ounce,
Prepared Lard	...	¾ ounce.

Ielt together.

CONFECTIO ALUMINIS.

CONFECTION OF ALUM.

'ake of

Alum in powder	...	120 grains,
Treacle... ...	...	to 1 fl. ounce.

Iix.

Dose.—1 to 2 teaspoonfuls, containing 15 › 30 grains of alum.

CONFECTIO BORACIS.

CONFECTION OF BORAX.

ake of

Borax in powder	...	64 grains,
Treacle... ...	...	to 1 fl. ounce.

Iix.

CONFECTIO CINCHONÆ FLAVÆ.

CONFECTION OF YELLOW CINCHONA.

Synonym.—Confectio Cinchonæ, 1861.

Take of

Yellow-Cinchona Bark in fine powder	...	80 grains,
Ginger in powder	...	8 grains,
Treacle	...	to 1 fl. ounce

Mix.

Dose.—2 teaspoonfuls, containing 5 grains of yellow-cinchona bark.

CONFECTIO FERRI TARTARATI.

CONFECTION OF TARTARATED IRON.

Synonym.—Confectio Ferri Potassio-tartratis, 1861.

Take of

Tartarated Iron	...	30 grains,
Acid Tartrate of Potash		~~180 grains,~~ 3
Ginger in powder	...	5 grains,
Treacle	...	to 1 fl. ounce

Mix.

Dose.—2 teaspoonfuls, containing 5 *grains of* tartarated iron and 45 grains *acid tartrate of* potash.

CONFECTIO JALAPÆ.

CONFECTION OF JALAP.

Synonym.—Confectio Jalapæ Composita, 1861.

Take of

Compound Powder of Jalap	120 grains,
Treacle...	to 1 fl. ounce.

Mix.

Dose.—2 to 4 teaspoonfuls, containing 30 to 60 grains of compound jalap powder.

CONFECTIO POTASSÆ TARTRATIS ACIDÆ.

CONFECTION OF ACID TARTRATE OF POTASH.

Synonym.—Confectio Potassæ Bitartratis, 1861.

Take of

Acid Tartrate of Potash	240 grains,
Ginger in powder ...	5 grains,
Treacle...	to 1 fl. ounce.

Mix.

Dose.—1 to 2 teaspoonfuls, containing 30 to 60 grains of acid tartrate of potash.

CONFECTIO SULPHURIS.

CONFECTION OF SULPHUR.

Synon.—Confectio Sulphuris Composita, 1861.

Take of

Sublimed Sulphur ...	200 grains,
Acid Tartrate of Potash	50 grains,
Treacle...	to 1 fl. ounce.

Mix.

Dose.—1 to 2 teaspoonfuls, containing 25 to 50 grains of sulphur and 6¼ to 12½ grains of acid tartrate of potash.

DECOCTUM ALOES COMPOSITUM.

COMPOUND DECOCTION OF ALOES.

Take of

Cape Aloes in powder .	120 grains,
Myrrh in powder ...	90 grains,
Carbonate of Potash ...	60 grains,
Commercial Extract of Liquorice	1 ounce,
Tincture of Ginger ...	¾ fl. ounce,
Rectified Spirit ...	3 fl. ounces,
Distilled Water ...	a sufficiency.

Boil the solids for five minutes in a pint

of the water; cool, and add the spirit. Then strain, and add through the strainer sufficient water to make 30 fluid ounces.

Dose.—½ to 2 fluid ounces, containing 2 to 8 grains of Cape aloes and 1½ to 6 grains of myrrh.

DECOCTUM HEMIDESMI COMPOSITUM.

COMPOUND DECOCTION OF HEMIDESMUS.

Synon.—*Decoctum Sarsæ Compositum*, 1861.

Take of

Hemidesmus Root ...	2½ ounces,
Sassafras Root in chips	each ¼ ounce,
Guaiacum Wood turnings	each ¼ ounce,
Commercial Extract of Liquorice	each ¼ ounce,
Mezereon Bark ...	60 grains,
Boiling Distilled Water	1½ pints.

Digest and boil down to 1 pint.

Dose.—1 fluid ounce.

ENEMA OLEI RICINI.

ENEMA OF CASTOR OIL.

Take of

Castor Oil	2 fl. ounces,
Mucilage of Starch ...	18 fl. ounces.

Mix.

ENEMA SAPONIS.

ENEMA OF SOAP.

Take of

Soft Soap	¾ ounce,
Warm Water	1 pint.

Mix.

ENEMA SODII CHLORIDI.

ENEMA OF COMMON SALT.

Take of

Common Salt	1 ounce,
Decoction of Barley ...	1 pint.

Dissolve.

FOTUS BELLADONNÆ.

BELLADONNA FOMENTATION.

Take of

Extract of Belladonna	3 grains,
Water	1 fl. ounce.

Mix and filter.

FOTUS PAPAVERIS.

POPPY FOMENTATION.

Take of

Bruised Poppy Capsules without seeds .	3 ounces,
Water	2 pints.

Boil for 10 minutes and strain.

GARGARISMA ACETICUM.

ACETIC GARGLE.

Synonym.—Gargarisma Acidi Acetici, 1861.

Take of

Acetic Acid	15 minims,
Oxymel	30 minims,
Distilled Water ...	to 1 fl. ounce.

Mix.

GARGARISMA ALUMINIS.

ALUM GARGLE.

Synonym.—Lotio Aluminis (page 34).

GARGARISMA ALUMINIS COMPOSITUM.

COMPOUND ALUM GARGLE.

Take of

Alum	16 grains,
Tincture of Myrrh ...	15 minims,
Distilled Water ...	to 1 fl. ounce.

Mix.

GARGARISMA CAPSICI.

CAPSICUM GARGLE.

Take of

Tincture of Capsicum .	10 minims,
Diluted Sulphuric Acid	6 minims,
Decoction of Pale Cinchona	to 1 fl. ounce.

Mix.

GARGARISMA HYDROCHLORICUM.

HYDROCHLORIC GARGLE.

Synonym.—Gargarisma Acidi Hydrochlorici, 1861.

Take of

Diluted Hydrochloric Acid	15 minims,
Decoction of Pale Cinchona	to 1 fl. ounce.

Mix.

GARGARISMA SODÆ CHLORATÆ.

CHLORINE GARGLE.

Synonyms.—Lotio Sodæ Chloratæ (page 40) *Gargarisma Sodæ Chlorinatæ*, 1861.

GLYCERINUM ACIDI GALLICI.

GLYCERINE OF GALLIC ACID.

ake of

Gallic Acid	40 grains,
Rectified Spirit ...	2 fl. drachms,
Glycerine	to 1 fl. ounce.

issolve and mix.

HAUSTUS ACIDI GALLICI.

DRAUGHT OF GALLIC ACID.

ake of

Glycerine of Gallic Acid	1 fl. drachm,
Distilled Water ...	7 fl. drachms.

ix.

It contains 5 grains of gallic acid.

HAUSTUS ACIDI HYDROCYANICI.

DRAUGHT OF HYDROCYANIC ACID.

ake of

Diluted Hydrocyanic Acid	4 minims,
Bicarbonate of Soda ...	5 grains,
Distilled Water ...	to 1 fl. ounce.

issolve and Mix.

HAUSTUS ACIDI NITRO-HYDROCHLORICI.

DRAUGHT OF NITRO-HYDROCHLORIC ACID.

Take of

Diluted Nitro-hydrochloric Acid ...	10 minims,
Tincture of Orange Peel	20 minims,
Spirit of Chloroform ...	10 minims,
Distilled Water ...	to 1 fl. ounce.

Mix.

HAUSTUS ÆTHERIS AMMONIATUS.

AMMONIATED ETHER DRAUGHT.

Take of

Spirit of Ether ...	each ½ fl. drachm,
Aromatic Spirit of Ammonia ...	
Distilled Water ...	7 fl. drachms.

Mix.

HAUSTUS ALOES ET CAMPHORÆ.

DRAUGHT OF ALOES AND CAMPHOR.

Take of

Compound Decoction of Aloes	each ½ fl. ounce.
Camphor Water ...	

Mix.

It contains 2 grains of Cape aloes.

HAUSTUS AMMONIACI FŒTIDUS.

FETID AMMONIACUM DRAUGHT.

e of

Fetid Spirit of Ammonia	15 minims,
Ammoniacum Mixture	to 1 fl. ounce.

.

HAUSTUS AMMONIÆ ACETATIS.

DRAUGHT OF ACETATE OF AMMONIA.

e of

Solution of Acetate of Ammonia... ...	each ½ fl. ounce.
Distilled Water ...	

.

ıUSTUS AMMONIÆ ACETATIS CUM MAGNESIÆ SULPHATE.

DRAUGHT OF ACETATE OF AMMONIA AND SULPHATE OF MAGNESIA.

:e of

Sulphate of Magnesia	60 grains,
Draught of Acetate of Ammonia	to 1 fl. ounce.

solve.

HAUSTUS AMMONIÆ ACETATIS CUM SCILLA.

DRAUGHT OF ACETATE OF AMMONIA AND SQUILL.

Take of

Vinegar of Squill ...	20 minims,
Draught of Acetate of Ammonia	to 1 fl. ounce.

Mix.

HAUSTUS AMMONIÆ ACETATIS ET CAMPHORÆ.

DRAUGHT OF ACETATE OF AMMONIA AND CAMPHOR.

Take of

Solution of Acetate of Ammonia	2 fl. drachms,
Camphor Water ...	6 fl. drachms.

Mix.

HAUSTUS AMYGDALÆ.

ALMOND DRAUGHT.

Take of

Almond Oil ...	each 2 fl. drachms,
Mucilage of Gum-Acacia	each 2 fl. drachms,
Distilled Water ...	1 fl. ounce.

Mix.

HAUSTUS ANTIMONII CUM MAGNESIÆ SULPHATE.

DRAUGHT OF ANTIMONY AND SULPHATE OF MAGNESIA.

Take of

Tartarated Antimony	⅛ grain,
Sulphate of Magnesia	60 grains,
Distilled Water ...	to 1 fl. ounce.

Dissolve.

HAUSTUS CALUMBÆ ALKALINUS.

ALKALINE DRAUGHT OF CALUMBA.

Take of

Bicarbonate of Soda ...	10 grains,
Tincture of Orange-Peel	30 minims,
Infusion of Calumba ...	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS CALUMBÆ COMPOSITUS.

COMPOUND DRAUGHT OF CALUMBA.

Take of

Tincture of Calumba...	30 minims,
Bicarbonate of Soda...	10 grains,
Infusion of Orange-Peel	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS CAMPHORÆ FŒTIDUS.

FETID CAMPHOR DRAUGHT.

Take of

Fetid Spirit of Ammonia	15 minims,
Camphor Water ...	to 1 fl. ounce.

Mix.

HAUSTUS CASCARILLÆ CUM SCILLA.

DRAUGHT OF CASCARILLA AND SQUILL.

Take of

Tincture of Squill ...	15 minims,
Infusion of Cascarilla	to 1 fl. ounce.

Mix.

HAUSTUS CINCHONÆ ACIDUS.

ACID CINCHONA DRAUGHT.

Synon.—Haustus Cinchonæ Compositus, 1861.

Take of

Diluted Sulphuric Acid	10 minims,
Decoction of Pale Cinchona	to 1 fl. ounce.

Mix.

HAUSTUS COLCHICI.

COLCHICUM DRAUGHT.

Synon.—Haustus Colchici Compositus, 1861.

Take of

Tincture of Colchicum Seeds	15 minims,
Carbonate of Magnesia	10 grains,
Spearmint Water ...	to 1 fl. ounce.

Mix.

HAUSTUS COPAIBÆ COMPOSITUS.

COMPOUND COPAIVA DRAUGHT.

Take of

Copaiva	15 minims,
Mucilage of Gum-Acacia	1 fl. drachm,
Cubebs in powder ...	30 grains,
Spirit of Nitrous Ether	15 minims,
Camphor Water ...	to 1 fl. ounce.

Mix.

HAUSTUS CRETÆ AROMATICUS.

AROMATIC CHALK DRAUGHT.

Synonym.—Haustus Aromaticus, 1861.

Take of

Aromatic Powder of Chalk	30 grains,
Cassia Water	to 1 fl. ounce.

Mix.

HAUSTUS CRETÆ AROMATICUS CUM OPIO.

AROMATIC CHALK DRAUGHT AND OPIUM.

Synonym.—Haustus Cretæ Compositus, 1861.

Take of

Aromatic Powder of Chalk and Opium ...	20 grains,
Cassia Water	to 1 fl. ounce.

Mix.

HAUSTUS CRETÆ AROMATICUS CUM RHEO.

AROMATIC CHALK DRAUGHT AND RHUBARB.

Synon.—Haustus Aromaticus cum Rheo, 1861.

Take of

Aromatic Chalk Powder and Rhubarb ...	30 grains,
Cassia Water	to 1 fl. ounce.

Mix.

HAUSTUS FERRI ET AMMONIÆ CITRATIS.

DRAUGHT OF CITRATE OF IRON AND AMMONIA.

Take of

Citrate of Iron and Ammonia	8 grains,
Carbonate of Ammonia	2 grains,
Spirit of Chloroform...	10 minims,
Infusion of Quassia ...	to 1 fl. ounce.

Mix.

HAUSTUS GENTIANÆ CUM RHEO.

DRAUGHT OF GENTIAN AND RHUBARB.

Take of

Infusion of Rhubarb .	½ fl. ounce,
Tincture of Gentian ...	30 minims,
Bicarbonate of Soda ...	10 grains,
Spirit of Chloroform...	10 minims,
Peppermint Water ...	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS GENTIANÆ CUM SENNA.

DRAUGHT OF GENTIAN AND SENNA.

Take of

Infusion of Senna ...	½ fl. ounce,
Tincture of Ginger ...	20 minims,
Compound Infusion of Gentian	to 1½ fl. ounces.

Mix.

HAUSTUS HEMIDESMI CUM POTASSII IODIDO.

DRAUGHT OF HEMIDESMUS AND IODIDE OF POTASSIUM.

Take of

Iodide of Potassium ...	3 grains,
Compound Decoction of Hemidesmus ...	to 1 fl. ounce.

Dissolve.

HAUSTUS IPECACUANHÆ EMETICUS.

EMETIC IPECACUANHA DRAUGHT.

Synonym.—Haustus Emeticus, 1861.

Take of

Wine of Ipecacuanha Oxymel of Squill ... Distilled Water ...	each ½ fl. ounce.

Mix.

HAUSTUS MAGNESIÆ CUM SODA.

DRAUGHT OF MAGNESIA AND SODA.

Take of

Carbonate of Magnesia Bicarbonate of Soda...	each 8 grains,
Caraway Water ...	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS MENTHÆ SULPHURICUS.

SULPHURIC MINT DRAUGHT.

Take of

Diluted Sulphuric Acid	10 minims,
Syrup of Red Poppy...	30 minims,
Spearmint Water ...	to 1 fl. ounce.

Mix.

HAUSTUS MENTHÆ SULPHURICUS CUM FERRI SULPHATE.

SULPHURIC MINT DRAUGHT WITH SULPHATE OF IRON.

Take of

Sulphate of Iron ...	1 grain,
Spirit of Chloroform...	10 minims,
Sulphuric Mint Draught	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS MENTHÆ SULPHURICUS CUM MAGNESIÆ SULPHATE.

SULPHURIC MINT DRAUGHT WITH SULPHATE OF MAGNESIA.

Take of

Sulphate of Magnesia	60 grains,
Sulphuric Mint Draught	to 1 fl. ounce.

Dissolve.

HAUSTUS MORPHIÆ CUM FERRO.

DRAUGHT OF MORPHIA AND IRON.

Take of

Hydrochl. of Morphia .	$\frac{1}{12}$ grain,
Solution of Perchloride of Iron	15 minims,
Diluted Hydrochloric Acid	3 minims,
Spirit of Chloroform...	10 minims,
Distilled Water ...	to 1 fl. ounce.

Mix.

HAUSTUS MORPHIÆ HYDROCHLORATI

DRAUGHT OF HYDROCHLORATE OF MORPHIA.

Take of

Hydrochlorate of Morphia	$\frac{1}{6}$ grain,
Diluted Hydrochloric Acid	$\frac{1}{3}$ minim,
Distilled Water ...	to 1 fl. ounc

Mix.

HAUSTUS POTASSÆ CHLORATIS.

DRAUGHT OF CHLORATE OF POTASH.

Take of

Chlorate of Potash ...	10 grains,
Boiling Distilled Water	to 1 fl. ounc

Dissolve.

HAUSTUS OLEI MORRHUÆ.

DRAUGHT OF COD-LIVER OIL.

Take of

Cod-Liver Oil	each
Mucilage of Gum Acacia	2 fl. drachı
Refined Sugar in powder	30 grains,
Caraway Water ...	to 1 fl. ouı

Rub together.

HAUSTUS OLEI MORRHUÆ ALKALINUS.

ALKALINE DRAUGHT OF COD-LIVER OIL.

Take of

Cod-Liver Oil...	...	2 fl. drachms,
Solution of Potash	...	15 minims,
Caraway Water	...	to 1 fl. ounce

Mix.

HAUSTUS OLEI RICINI.

DRAUGHT OF CASTOR OIL.

Take of

Castor Oil ...		each 2 fl. drachms,
Mucilage of Gum Acacia		each 2 fl. drachms,
Refined Sugar in powder	...	30 grains,
Caraway Water	...	to 1 fl. ounce.

Rub together.

HAUSTUS OLEI RICINI ALKALINUS.

ALKALINE DRAUGHT OF CASTOR OIL.

Take of

Castor Oil ...	...	2 fl. drachms,
Solution of Potash	...	15 minims.
Caraway Water	...	to 1 fl. ounce.

Mix.

HAUSTUS POTASSÆ EFFERVESCENS.

EFFERVESCING POTASH DRAUGHT.

Take of

Bicarbonate of Potash	20 grains,
Distilled Water ...	1 fl. ounce.

Dissolve, and add of

Citric Acid in powder .	14 grains,
Distilled Water ...	1 fl. ounce.

To be taken during effervescence.

HAUSTUS POTASSII IODIDI AMMONIATUS.

AMMONIATED DRAUGHT OF IODIDE OF POTASSIUM.

Take of

Iodide of Potassium ...	3 grains,
Carbonate of Ammonia	2 grains,
Distilled Water ...	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS QUASSIÆ CUM FERRO.

DRAUGHT OF QUASSIA AND IRON.

Take of

Solution of Perchloride of Iron	15 minims,
Infusion of Quassia ...	to 1 fl. ounce.

Mix.

HAUSTUS QUINIÆ CUM FERRO.

DRAUGHT OF QUINIA AND IRON.

Take of

Sulphate of Quinia ...	1 grain,
Sulphate of Iron ...	½ grain,
Spirit of Chloroform...	10 minims,
Sulphuric Mint Draught	to 1 fl. ounce.

Mix and dissolve.

HAUSTUS QUINIÆ CUM POTASSII IODIDO.

DRAUGHT OF QUINIA AND IODIDE OF POTASSIUM.

Take of

Sulphate of Quinia ...	2 grains,
Iodide of Potassium ...	5 grains,
Diluted Sulphuric Acid	4 minims,
Distilled Water ...	to 1 fl. ounce.

Mix and dissolve.

HAUSTUS QUINIÆ SULPHATIS.

DRAUGHT OF SULPHATE OF QUINIA.

Take of

Sulphate of Quinia ...	1 grain,
Diluted Sulphuric Acid	1½ minims,
Distilled Water ...	to 1 fl. ounce.

Mix and dissolve.

HAUSTUS RHEI CUM MAGNESIA.

DRAUGHT OF RHUBARB AND MAGNESIA.

Take of

Compound Rhubarb Powder ... ... 30 grains,
Caraway Water ... to 1 fl. ounce.

Mix.

It contains about 7 grains of rhubarb, and 20 grains of magnesia.

HAUSTUS SCOPARII COMPOSITUS.

COMPOUND BROOM DRAUGHT.

Take of

Tartrate of Potash ... 20 grains,
Spirit of Juniper ... 30 minims,
Decoction of Broom ... to 1½ fl. ounces.

Dissolve and mix.

HAUSTUS SENNÆ COMPOSITUS.

COMPOUND SENNA DRAUGHT.

Take of

Sulphate of Magnesia . ¼ ounce,
Oil of Peppermint ... ¼ minim,
Infusion of Senna ... to 1½ fl. ounces.

Dissolve and mix.

HAUSTUS SODÆ EFFERVESCENS.

EFFERVESCING SODA DRAUGHT.

Synonym.—Haustus Sodæ Tartratis, 1861.

Take of

Bicarbonate of Soda ...	20 grains,
Distilled Water ...	to 1 fl. ounce.

Dissolve, and add of

Tartaric Acid in powder	17 grains,
Distilled Water ...	to 1 fl. ounce.

To be taken during effervescence.

HAUSTUS SODÆ TARTRATIS.

DRAUGHT OF TARTRATE OF SODA.

Take of

Bicarbonate of Soda...	20 grains,
Tartaric Acid in powder	17 grains,
Distilled Water ...	to 1 fl. ounce.

Mix and dissolve. To be taken after effervescence has ceased.

HAUSTUS TEREBINTHINÆ.

TURPENTINE DRAUGHT.

Take of

Oil of Turpentine	...	20 minims,
Mucilage of Gum-Acacia	... ...	2 fl. drachms,
Caraway Water	...	to 1 fl. ounce.

Triturate the mucilage first with the oil, and then with the water added gradually.

HAUSTUS VALERIANÆ CUM HYOSCYAMO.

DRAUGHT OF VALERIAN AND HYOSCYAMUS.

Take of

Ammoniated Tincture of Valerian...		each ½ fl. drachm,
Tincture of Hyoscyamus ...	...	
Camphor Water	...	7 fl. drachms.

Mix.

HAUSTUS ZINCI EMETICUS.

EMETIC ZINC DRAUGHT.

Take of

Sulphate of Zinc	...	20 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve.

LINCTUS.

LINCTUS.

Take of

Confection of Hips ...	100 gra
Tragacanth in powder	6 grains
Syrup of Poppies ... } Vinegar of Squill ... }	each 36 mi
Acetic Acid	2 minims,
Boiling Water ...	to 1 fl. oun

Mix.

Dose.—1 or 2 teaspoonfuls.

LINCTUS CUM IPECACUANHA.

LINCTUS AND IPECACUANHA.

Take of

Wine of Ipecacuanha .	30 minims,
Linctus	to 1 fl. oun

ix.

Dose.—1 teaspoonful, containing nea
iinims of wine of ipecacuanha.

ment ... ... 3 fl. ou

Mix.

LINIMENTUM PLUMBI.

LEAD LINIMENT.

Syn.—Linimentum Plumbi cum Olec

Take of

Solution of Subacetate of Lead ... ... ½ fl. ou

Olive Oil ... ... 3½ fl. o

Mix with agitation.

LINIMENTUM SAPONIS COMPOS

COMPOUND SOAP LINIMENT.

Take of

LIQUOR FERRI TARTARATI.

SOLUTION OF TARTARATED IRON.

Synonym.—Vinum Ferri, 1861.

Take of

Tartarated Iron ...	8 grains,
Treacle	½ fl. drachm, or 40 grains,
Boiling distilled Water	to 1 fl. ounce.

Mix.

Dose.—1 to 4 teaspoonfuls, containing 1 to 4 grains of tartarated iron.

LOTIO ACETI.

VINEGAR LOTION.

Take of

Vinegar	½ fl. drachm,
Distilled Water ...	7½ fl. drachms.

Mix.

LOTIO ACIDI CARBOLICI.

LOTION OF CARBOLIC ACID.

Take of

Glycerine of Carbolic Acid	15 minims,
Distilled Water ...	to 1 fl. ounce.

Mix.

[illegible]	... ...	10 minim
Distilled Water	...	to 1 fl. o

Mix.

LOTIO ACIDI SULPHUROSI.

LOTION OF SULPHUROUS ACID.

Take of

Sulphurous Acid	...	each ½ fl. o
Glycerine	... ...	

Mix.

LOTIO ALUMINIS.

ALUM LOTION.

Take of

Alum in powder	...	16 grain
Distilled Water	...	to 1 fl. o

Dissolve.

LOTIO ALUMINIS MITIOR.

MILD ALUM LOTION.

Synonym.—Collyrium Aluminis, 1861.

Take of

Alum in powder	...	8 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve.

LOTIO ALUMINIS MITISSIMA.

WEAKEST ALUM LOTION.

Take of

Alum in powder	...	4 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve.

LOTIO ARGENTI NITRATIS.

LOTION OF NITRATE OF SILVER.

Take of

Nitrate of Silver	...	2 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve, and keep the solution in a dark place.

Take of

Nitrate of Silver	...	1 grain
Distilled Water	...	to 1 fl.

Dissolve, and keep the solution in place.

LOTIO ARNICÆ.

ARNICA LOTION.

Take of

Tincture of Arnica	...	1 fl. dr
Lead Lotion ...	...	to 1 fl.

Mix.

LOTIO BORACIS CUM POTASSÆ CHLORATE.

LOTION OF BORAX AND CHLORATE OF POTASH.

Take of

Borax in Powder	...	3 grains,
Chlorate of Potash	...	6 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve.

LOTIO CUPRI SULPHATIS.

LOTION OF SULPHATE OF COPPER.

Take of

Sulphate of Copper in powder	... ...	2 grains,
Distilled Water	...	1 fl. ounce.

Dissolve.

LOTIO FERRI SULPHATIS.

LOTION OF SULPHATE OF IRON.

Take of

Sulphate of Iron in powder	... ...	2 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve.

LOTIO HYDRARGYRI PERCHLORIDI.

LOTION OF PERCHLORIDE OF MERCURY.

Take of

Perchloride of Mercury	¼ grain,
Distilled Water ...	1 fl. ounce.

Dissolve.

LOTIO HYDRARGYRI PERCHLORIDI HYDROCYANICA.

HYDROCYANIC LOTION OF PERCHLORIDE OF MERCURY.

Synonym. — *Lotio Hydrargyri Bichloridi Amygdalina,* 1861.

Take of

Perchloride of Mercury	½ grain,
Glycerine	2 fl. drachms,
Diluted Hydrocyanic Acid	8 minims,
Distilled Water ...	to 1 fl. ounce.

Dissolve and mix.

LOTIO OPII.

OPIUM LOTION.

Take of

Opium	5 grains,
Boiling Distilled Water	1 fl. ounce.

Rub together and filter.

LOTIO PLUMBI.

LEAD LOTION.

Synonym.—Liquor Plumbi Subacetat dilutus, Brit. Pharm.

LOTIO PLUMBI ACETATIS.

LOTION OF ACETATE OF LEAD.

Take of

Acetate of Lead	...	2 grains,
Diluted Acetic Acid	...	2 minims,
Distilled Water	...	to 1 fl. ounce

Dissolve.

LOTIO PLUMBI CUM OPIO.

LEAD LOTION WITH OPIUM.

Take of

Extract of Opium	..	1 grain,
Lead Lotion ...	...	1 fl. ounce.

Rub together.

LOTIO POTASSÆ PERMANGANATIS.

LOTION OF PERMANGANATE OF POTASH.

Take of

Solution of Permanganate of Potash	...	12 minims,
Distilled Water	...	to 1 fl. ounce

Mix.

Distilled Water ... to 1 fl

Dissolve.

LOTIO QUERCUS COMPOSI

COMPOUND LOTION OF OAK-BARK

Take of

Alum in powder ... } each 4
Sulphate of Zinc... ... }

Decoction of Oak-Bark to 1 fl.

Dissolve.

LOTIO SODÆ CHLORATÆ.

CHLORINE LOTION.

Take of

Solution of Chlorinated Soda... ... ... ½ fl. dr

Distilled Water

LOTIO ZINCI SULPHATIS MITIOR.

MILD ZINC LOTION.

Take of

Sulphate of Zinc	...	1 grain,
Distilled Water	...	1 fl. ounce.

Dissolve.

OLEUM CARBOLATUM.

CARBOLATED OIL.

Take of

Carbolic Acid, liquefied by heat	... ...	48 minims,
Olive Oil	... ...	to 4 fl. ounces

Mix.

PILULA ALOES CUM NUCE VOMICA.

PILL OF ALOES AND NUX VOMICA.

Take of

Pill of Barbadoes Aloes	... ...	4½ grains,
Extract of Nux Vomica		¼ grain,
Treacle	... ...	a sufficiency.

Beat together, and form a pill.

Cape Aloes in powder . } each 2 g
Hard Soap in powder . }
Distilled Water ... a sufficie

Beat together, and form a pill.

ILULA CAMPHORÆ CUM HYOSC

PILL OF CAMPHOR AND HYOSCYAMUS.

ake of

Camphor in powder ... } each 2½ g
Extract of Hyoscyamus }

eat together, and form a pill.

PILULA CREASOTI.

CREASOTE PILL.

ake of

Creasote	1 minim,
Crumb of Bread ...	a sufficiency.

eat together, and form a pill.

PILULA CREASOTI CUM ASSAFŒTIDA.

PILL OF CREASOTE AND ASSAFŒTIDA.

ake of

Creasote	1 minim,
Compound Pill of Assafœtida	each 2 grains.
Compound Rhubarb Pill	each 2 grains.

eat together, and form a pill.

PILULA ELATERII COMPOSITA.

COMPOUND ELATERIUM PILL.

ake of

Elaterium	¼ grain,
Compound Extract of Colocynth	2 grains,
Subchloride of Mercury	1½ grains,
Capsicum Fruit in powder	½ grain,
Treacle...	a sufficiency.

eat together, and form a pill.

Starch in powder ... a suffici

Beat the iron and the balsam to form a pill, and roll it in the starch.

PILULA FERRI FŒTIDA.

FETID IRON PILL.

Take of

Saccharated Carbonate of Iron	3 grains
Compound Assafœtida Pill	2 grains
Treacle...	a sufficie

Beat together, and form a pill.

PILULA HYDRARGYRI CUM CRETA COMPOSITA.

COMPOUND PILL OF MERCURY WITH CHALK.

Take of

Mercury with Chalk... } each 2½ grains,
Compound Powder of Ipecacuanha ... }
Treacle... ... ... a sufficiency.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM CRETA ET RHEI.

PILL OF MERCURY WITH CHALK AND RHUBARB.

Take of

Mercury with Chalk ... } each 2½ grains,
Rhubarb Root in powder ... ... }
Treacle... ... ... a sufficiency.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM SCILLA.

MERCURIAL PILL AND SQUILL.

Take of

Mercurial Pill... ... 3 grains,
Squill in powder ... 1½ grains.

Beat together, and form a pill.

Perchloride of Mercury $\frac{1}{12}$ grain,
Extract of Belladonna $\frac{1}{6}$ grain,
Extract of Gentian ... 4 grains.
eat together, and form a pill.

PILULA HYDRARGYRI SUBCHLORIDI CUM COLOCYNTHIDE.

PILL OF CALOMEL AND COLOCYNTH.

ke of
Subchloride of Mercury 1 grain,
Compound Extract of
Colocynth ... ... 4 grains.
at together, and form a pill.

PILULA HYDRARGYRI SUBCHLORIDI

PILULA HYDRARGYRI S
CUM RHEO.

PILL OF CALOMEL AND RH

Take of

Subchloride of Mercury	1
Rhubarb Root in powder	4
Treacle	a

Beat together, and form a pill.

PILULA HYDRARGYRI SUBCH
CUM SCAMMONIO.

PILL OF CALOMEL AND SCAMMC

Take of

Subchloride of Mercury	1 gra
Scammony in powder	3 gra
Treacle	a suf

Beat together, and form a pill.

POTASSA CUM CALCE.

CAUSTIC POTASH AND LIME.

Take of

Caustic Potash ...	equal
Lime	
Glycerine	a suf

Boiling Water ... 1 pint.
Dissolve.

POTUS POTASSÆ TARTRATIS AC

CREAM OF TARTAR DRINK.

ake of

Acid Tartrate of Potash 60 grain
Half the fresh Peel of a Lemon,
Boiling Water ... 1 pint.

Dissolve the salt, and infuse in a co
essel.

PULVIS CRETÆ AROMATICUS C RHEO.

AROMATIC CHALK POWDER AND RHUBARB

PULVIS EMETICUS.

EMETIC POWDER.

Take of

Ipecacuanha in powder	20 grain
Tartarated Antimony in powder	½ grain.

Mix.

PULVIS RHEI CUM POTASSÆ SULPHATE.

POWDER OF RHUBARB AND SULPHATE OF POTAS

Take of

Rhubarb Root in powder	10 grains,
Sulphate of Potash ...	30 grains.

Mix.

SPIRITUS AMMONIÆ AROMATICUS

AROMATIC SPIRIT OF AMMONIA.

Take of

Carbonate of Ammonia	8 ounces,
Strong Solution of Ammonia	4 fl. ounces,
Oil of Lemon	2 fl. drachms,
Rectified Spirit ...	5 pints,
Distilled Water ...	to 7 pints.

ssolve and mix.

Equal in amount of carbonate of ammo
to Spiritus Ammoniæ Aromaticus
Brit. Pharm.

SPIRITUS AMMONIÆ FŒTIDUS.

FETID SPIRIT OF AMMONIA.

Take of

Tincture of Assafœtida	6 fl. ounces,
Rectified Spirit ...	3 fl. ounces,
Strong Solution of Ammonia	1 fl. ounce.

Mix.

Equal in amount of assafœtida and of ammonia to Spiritus Ammoniæ Fœtidus of the *Brit. Pharm.*

SPIRITUS CARUI.

SPIRIT OF CARAWAY.

Take of

Oil of Caraway ...	1 fl. ounce,
Rectified Spirit ...	19 fl. ounces.

Mix.

SPIRITUS CARYOPHYLLI.

SPIRIT OF CLOVES.

Take of

Oil of Cloves	1 fl. ounce,
Rectified Spirit ...	19 fl. ounces.

Mix.

SPIRITUS CASSIÆ.

SPIRIT OF CASSIA.

Take of

Oil of Cassia	... ...	1 fl. ounce,
Rectified Spirit	...	19 fl. ounces.

Mix.

SPIRITUS MENTHÆ PIPERITÆ.

SPIRIT OF PEPPERMINT.

Take of

Oil of Peppermint	...	1 fl. ounce,
Rectified Spirit	...	19 fl. ounces.

Mix.

SPIRITUS MENTHÆ VIRIDIS.

SPIRIT OF SPEARMINT.

Take of

Oil of Spearmint	...	1 fl. ounce,
Rectified Spirit	...	19 fl. ounces.

Mix.

SUPPOSITORIUM OPII.

OPIUM SUPPOSITORY.

Take of

Compound Pill of Soap	12 grains.

Make a suppository.

It *contains* about 2 grains of dried opium.

and freed from Seeds 2¼ pour
Treacle ... 2 pounds 1
Distilled Water at 170° 3 gallo

Macerate the poppy capsules in th
or 12 hours, draw off and express the
nd evaporate it to two pints and
hen add the treacle.

Equal in strength to Syrupus Papa
he *Brit. Pharm.*

SYRUPUS RHŒADOS.

SYRUP OF RED POPPY.

Take of
Dried Red-Poppy Pe-

UNGUENTUM PICIS CUM PLUMBO.

OINTMENT OF TAR AND LEAD.

Take of

Ointment of Tar ...	equal parts.
Ointment of Acetate of Lead	

Mix.

VINUM IPECACUANHÆ.

WINE OF IPECACUANHA.

Take of

Ipecacuanha bruised ...	1 ounce,
Sherry	each 4 fl. ounces,
Rectified Spirit ...	
Distilled Water ...	12 fl. ounces.

Macerate the ipecacuanha in the mixed liquids 7 days. Draw off, express, and filter. Then add sufficient water to make 1 pint.

Equal in strength to Vinum Ipecacuanhæ of the *Brit. Pharm.*

eakfast.	1 Pint of Tea. Bread and Butter.	1 Pint Bread a
Dinner.	Half-pound Meat when dressed. Half-pound Potatoes. Bread and Beer.	Quarter-pou dre Half-poun Bread a
Tea.	1 Pint of Tea. Bread and Butter.	1 Pint Bread a
Supper.	Bread and Butter. Beer.	Bread a B
Daily lowances	2 Pints of Tea. 14 Ounces of Bread. Half-pound Meat when dressed.	2 Pints 12 Ounc Quarter-pou

MEW'S HOSPITAL.

SCALE.

Broth Diet.	*Milk Diet.*	*Low Diet.*	
1 Pint of Tea.	1 Pint of Tea.	Bread. — Broth, Gruel, or Barley Water, as may be ordered.	Children under Nine Years to receive half Allowances.
1 Pint and a half Broth. 6 Ounces Potatoes (mashed) Bread.	1 Pint and a half Milk, or 1 Pint Milk with Arrow Root, Rice, or Sago. Bread.		
1 Pint of Tea. Bread and Butter.	1 Pint of Tea. Bread and Butter.		
Bread and Butter. Gruel.	Bread and Butter. Gruel.		
2 Pints of Tea. 12 Ounces Bread. nt and a half Broth. ces Potatoes (mashed) Ounce Butter. Gruel.	2 Pints of Tea. 12 Ounces Bread. 1 Pint and a half Milk, or 1 Pint Milk with Arrow Root, Rice, or Sago. ¾ Ounce Butter. Gruel.	Bread. — Broth, Gruel, or Barley Water.	

Fish, Eggs, Pudding, Jelly, Porter, Ale, Wine, or Spirits.

'et is ordered by the Physician or Surgeon.

TABLE

of the Ordinary Doses for an Adult
following Officinal Articles, taken
the British Pharmacopœia of 1867

Acetum Scillæ . . .	15 to 40 m
Acidum Gallicum . .	2 to 10 gr
— Hydrochloricum Dil.	10 to 30 m
— Hydrocyanicum Dil.	2 to 8
— Nitricum Dilutum .	10 to 30
— Nitro-hydrochlor. Dil.	5 to 20
— Phosphoricum Dilut.	10 to 30
— Sulphuricum Aromat.	5 to 30
— Sulphuricum Dilutum	5 to 30
— Tannicum . . .	2 to 10 gr

Antimonium Tartaratum, *diaphoretic*	$\frac{1}{16}$ to $\frac{1}{6}$	gr.
— — *emetic*	1 to 2	„
Argenti Nitras . . .	$\frac{1}{6}$ to $\frac{1}{3}$	„
— Oxidum . . .	$\frac{1}{2}$ to 2	„
Assafœtida . . .	5 to 20	„
Bismuthi Carbonas . .	5 to 20	„
— Subnitras . . .	5 to 20	„
Borax	5 to 40	„
Calcii Chloridum . .	10 to 20	„
Calcis Phosphas . .	10 to 20	„
Camphora . . .	1 to 10	„
Colchici Cormus . .	2 to 8	„
Confectio Opii . . .	5 to 20	„
— Piperis . . .	60 to 120	„
— Sennæ . . .	60 to 120	„
Copaiba	30 to 60	min.
Creasotum . . .	1 to 3	drops.
Creta præparata . .	10 to 60	gr.
Cubeba	30 to 120	„
Cupri Sulphas . . .	$\frac{1}{4}$ to 2	„
Decoctum Aloes Compos.	$\frac{1}{2}$ to 2	fl. drs.
— Cinchonæ Pallidæ .	1 to 2	„
— Hæmatoxyli . .	1 to 2	„
— Pareiræ . . .	1 to 2	„

Extractum Aconiti . .	1 to 2
— Aloes	2 to 6
— Belæ Liquidum . .	1 to 2
— Belladonnæ . .	¼ to 1
— Cinchonæ Pal. Liquid.	10 to 30
— Colchici . . .	½ to 1
— Colchici Aceticum .	½ to 1
— Colocynthidis Comp.	3 to 10
— Conii	2 to 6
— Ergotæ Liquidum .	10 to 30
— Filicis Liquidum .	15 to 30
— Hyoscyami . .	5 to 10
— Nucis Vomicæ . .	½ to 2
— Opii Liquidum . .	10 to 40

Ferri et Quiniæ Citras .	5 to 10 gr.
— Iodidum . . .	1 to 5 ,,
— Peroxidum Hydratum	5 to 30 ,,
— Phosphas . . .	5 to 10 ,,
— Sulphas . . .	1 to 5 ,,
Ferrum Redactum . .	1 to 5 ,,
— Tartaratum . .	5 to 10 ,,
Hydrargyri Iodidum Rubrum . . .	$\frac{1}{16}$ to $\frac{1}{4}$,,
— Iodidum Viride . .	1 to 3 ,,
— Perchloridum . .	$\frac{1}{16}$ to $\frac{1}{8}$,,
— Subchloridum . .	$\frac{1}{2}$ to 5 ,,
Hydrargyrum cum Creta	3 to 8 ,,
Infusum Buchu . .	1 to 4 fl. oz.
— Calumbæ . . .	1 to 2 ,,
— Caryophylli . .	1 to 4 ,,
— Cascarillæ . . .	1 to 2 ,,
— Catechu . . .	1 to 2 ,,
— Chiratæ . . .	1 to 2 ,,
— Cinchonæ Pallidæ .	1 to 2 ,,
— Cusso . . .	4 to 8 ,,
— Digitalis . . .	2 to 4 fl. drs.
— Ergotæ . . .	1 to 2 fl. oz.
— Gentianæ Compositum	1 to 2 ,,
— Quassiæ . . .	1 to 2 ,,

Infusum Rhei . . .	1 to 2	fl. oz.
— Senegæ . . .	1 to 2	„
— Uvæ Ursi . . .	1 to 2	„
— Valerianæ . . .	1 to 2	„
Ipecacuanha, *expectorant*	½ to 2	gr.
— *emetic*	15 to 30	„
Jalapa	10 to 30	„
Kamala	30 gr. to ¼	oz.
Liquor Ammoniæ Acetatis	2 to 6	fl. drs.
— Ammoniæ Citratis .	2 to 6	„
— Arsenicalis . .	2 to 8	min.
— Arsenici Hydrochlor.	2 to 8	„
— Bismuthi et Ammoniæ Citratis . . .	30 to 60	„
— Calcis . . .	1 to 4	fl. oz.
— Calcis Saccharatus .	15 to 60	min.
— Chlori . . .	10 to 20	„
— Ferri Perchloridi .	10 to 30	„
— Ferri Pernitratis .	10 to 40	„
— Hydrargyr. Perchlor.	30 to 120	„
— Morphiæ Acetatis .	10 to 60	„
— Morphiæ Hydrochlor.	10 to 60	„
— Potassæ . . .	15 to 60	„
— Sodæ Arseniatis .	5 to 10	„
— *Sodæ Chloratæ* . .	10 to 20	„

or Strychniæ . .	5 to 10 min.
æ Carbonas . .	3 to 6 gr.
Citras . . .	5 to 10 „
nesia	10 to 60 „
nesiæ Carbonas . .	10 to 60 „
Sulphas . . .	60 gr. to ½ oz.
ura Ammoniaci .	½ to 1 fl. oz.
Creasoti . . .	1 to 2 „
Cretæ . . .	1 to 2 „
Ferri Composita .	1 to 2 „
Guaiaci . . .	½ to 2 „
Scammonii (*for a child*)	½ to 2 „
phiæ Acetas . .	⅛ to ½ gr.
Hydrochloras . .	⅛ to ½ „
m Crotonis . .	⅕ to 1 min.
Morrhuæ . . .	1 to 8 fl. drs.
Ricini . . .	1 to 8 „
Terebinthinæ . .	10 to 30 min.
— *anthelmintic*	4 fl. drs.
m	½ to 2 gr.
nel Scillæ . . .	½ to 1 fl. drm.
a Aloes Barbadensis	5 to 10 gr.
Aloes et Assafœtidæ .	5 to 10 „
Aloes et Ferri . .	5 to 10 „
Aloes et Myrrhæ .	5 to 10 „

Pilula Aloes Socotrinæ .	5 to 10 gr.
— Assafœtidæ Composita	5 to 10 ,,
— Conii Composita .	5 to 10 ,,
— Ferri Carbonatis .	5 to 20 ,,
— Ferri Iodidi . .	5 to 8 ,,
— Hydrargyri . .	3 to 8 ,,
— Hydrargyri Subchloridi Composita . .	5 to 10 ,,
— Ipecacuanhæ cum Scilla . . .	5 to 10 ,,
— Plumbi cum Opio .	3 to 5 ,,
— Rhei Composita .	5 to 10 ,,
— Saponis Composita .	3 to 5 ,,
— Scillæ Composita .	5 to 10 ,,
Plumbi Acetas . . .	1 to 4 ,,
Podophylli Resina . .	¼ to 1 ,,
Potassæ Acetas . .	10 to 60 ,,
— Bicarbonas . .	10 to 40 ,,
— Chloras . . .	10 to 30 ,,
— Citras . . .	20 to 60 ,,
— Nitras . . .	10 to 30 ,,
— Sulphas . . .	15 to 60 ,,
— Tartras . . .	60 gr. to ½ oz
— Tartras Acida . .	20 to 60 gr.
Potassii Bromidum . .	5 to 30 ,,

Potassii Iodidum . .	2 to 10 gr.
Pulvis Antimonialis .	3 to 10 ,,
— Catechu Compositus	20 to 40 ,,
— Cretæ Aromaticus .	10 to 60 ,,
— Cretæ Aromaticus cum Opio . .	10 to 40 ,,
— Ipecacuanhæ Compos.	5 to 15 ,,
— Kino Compositus .	5 to 20 ,,
— Rhei Compositus .	20 to 60 ,,
— Scammonii Compos. .	10 to 20 ,,
Quiniæ Sulphas . .	1 to 10 ,,
Rhei Radix . . .	5 to 20 ,,
Santoninum . . .	2 to 6 ,,
Scammonium . . .	5 to 10 ,,
Scilla	1 to 3 ,,
Soda Tartarata . .	¼ to ½ oz.
Sodæ Bicarbonas . .	10 to 60 gr.
— Sulphas . . .	¼ to 1 oz.
Spiritus Ætheris . .	30 to 90 min.
— Ætheris Nitrosi .	30 to 120 ,,
— Ammoniæ Aromaticus	30 to 60 ,,
— Ammoniæ Fœtidus .	30 to 60 ,,
— Armoraciæ Compos. .	60 to 120 ,,
– Chloroformi . .	20 to 60 ,,
– Juniperi . . .	30 to 60 ,,

Strychnia	$\frac{1}{30}$ to $\frac{1}{12}$ gr.
Succus Conii . . .	30 to 60 min.
— Scoparii . . .	1 to 2 fl. drs
— Taraxaci . . .	1 to 2 „
Syrupus Aurantii . .	1 „
— Ferri Iodidi . .	½ to 1 „
— Ferri Phosphatis .	1 „
— Papaveris . . .	1 „
— Rhœados . . .	1 „
— Sennæ . . .	1 to 4 „
— Zingiberis . . .	1 „
Tinctura Aconiti . .	5 to 15 min.
— Aloes . . .	60 to 120 „
— Assafœtidæ . .	30 to 60 „
— Belladonnæ . .	5 to 20 „
— Benzoini Composita .	30 to 60 „
— Calumbæ . . .	30 to 120 „
— Camphoræ Composita	15 to 60 „
— Cannabis Indicæ .	5 to 20 „
— Cantharidis . .	5 to 20 „
— Capsici . . .	10 to 20 „
— Cascarillæ . . .	30 to 120 „
— Catechu . . .	30 to 120 „
— *Cinchonæ* Composita	30 to 120 „
— *Cinchonæ* Flavæ .	30 to 120 „

Tinctura Cinchonæ Pallidæ		30 to 120 min.
— Colchici Seminum	.	10 to 30 „
— Conii	. . .	20 to 60 „
— Digitalis	. . .	10 to 30 „
— Ergotæ	. . .	10 to 60 „
— Ferri Acetatis	. .	5 to 30 „
— Ferri Perchloridi	.	10 to 30 „
— Gentianæ Composita		30 to 120 „
— Guaiaci Ammoniata	.	30 to 120 „
— Hyoscyami	. .	30 to 60 „
— Iodi	. . . .	5 to 20 „
— Jalapæ	. . .	30 to 120 „
— Kino	. . . .	30 to 120 „
— Lobeliæ	. . .	10 to 30 „
— Lobeliæ Ætheria	.	10 to 30 „
— Lupuli	. . .	30 to 60 „
— Myrrhæ	. . .	30 to 60 „
— Nucis Vomicæ	. .	10 to 20 „
— Opii	. . . .	5 to 40 „
— Rhei,	*stomachic*	1 to 2 fl. drs.
— —	*purgative*	4 to 8 „
— Scillæ	. . .	10 to 30 min.
— Sennæ	. . .	1 to 4 fl. drs.
— Stramonii	. . .	10 to 30 min.
— Valerianæ	. . .	60 to 120 „

ngiberis . . .		
n Antimoniale .		5 to 60 ,,
olchici . . .		10 to 30 ,,
Ferri		1 to 4 fl. dr
ipecacuanhæ,		
	expectorant	5 to 40 min.
—	*emetic*	3 to 6 fl. dr
i Oxidum . . .		2 to 10 gr.
Sulphas,	*tonic*	1 to 3 ,,
—	*emetic*	20 to 30 ,,

INDEX.

The Names printed in italics are Synonyms employed in the Pharmacopœia of 1861.

	PAGE
Aqua Carui	1
—— Caryophylli	1
—— Cassiæ	2
—— Menthæ Piperitæ	2
—— Menthæ Viridis	2
Balneum Acidum	3
——— Alkalinum	3
——— Calidum	3
——— Creasoti	3
——— Glutinis	4
——— Marinum	4
——— Sulphureum	4
——— Tepidum	4
Ceratum simplex	5
Collyrium Aluminis	35
——— *Argenti Nitratis*	36

6

PAGE

Confectio Aluminis 5
——— Boracis 5
——— *Cinchonæ* 6
——— Cinchonæ Flavæ 6
——— *Ferri Potassio-tartratis* . . 6
——— Ferri Tartarati 6
——— Jalapæ 7
——— *Jalapæ composita* . . . 7
——— *Potassæ Bitartratis* . . . 7
——— Potassæ Tartratis Acidæ . . 7
——— Sulphuris 8
——— *Sulphuris composita* . . . 8
Decoctum Aloes compositum . . . 8
——— Hemidesmi compositum . . 9
——— *Sarsæ compositum* . . . 9
Enema Olei Ricini 10
——— Saponis 10
——— Sodii Chloridi 10
Fotus Belladonnæ 10
——— Papaveris 11
Gargarisma Aceticum 11
——— *Acidi Acetici* 11
——— *Acidi Hydrochlorici* . . . 12
——— Aluminis 11
——— Aluminis compositum . . 11
——— *Capsici* 12

PAGE

Gargarisma Hydrochloricum . . . 12
——— Sodæ Chloratæ 12
——— *Sodæ Chlorinatæ* . . . 12
Glycerinum Acidi Gallici 13
Haustus Acidi Gallici 13
——— Acidi Hydrocyanici . . . 13
——— Acidi Nitro-hydrochlorici . . 14
——— Ætheris Ammoniatus . . . 14
——— Aloes et Camphoræ . . . 14
——— Ammoniaci Fœtidus . . . 15
——— Ammoniæ Acetatis . . . 15
——— Ammoniæ Acetatis cum Magnesiæ Sulphate 15
——— Ammoniæ Acetatis cum Scilla .. 16
——— Ammoniæ Acetatis et Camphoræ . 16
——— Amygdalæ 16
——— Antimonii cum Magnesiæ Sulphate 17
——— *Aromaticus* 19
——— *Aromaticus cum Rheo* . . . 20
——— Calumbæ Alkalinus . . . 17
——— Calumbæ compositus . . . 17
——— Camphoræ Fœtidus . . . 18
——— Cascarillæ cum Scilla . . . 18
——— Cinchonæ Acidus 18
——— *Cinchonæ compositus* . . . 18
——— Colchici 19

PAGE

Haustus *Colchici compositus* . . . 19
——— Copaibæ compositus . . . 19
——— Cretæ Aromaticus . . . 19
——— Cretæ Aromaticus cum Opio . . 20
——— Cretæ Aromaticus cum Rheo . . 20
——— *Cretæ compositus* 20
——— *Emeticus* 22
——— Ferri et Ammoniæ Citratis . . 20
——— Gentianæ cum Rheo . . . 21
——— Gentianæ cum Senna . . . 21
——— Hemidesmi cum Potassii Iodido . 21
——— Ipecacuanhæ Emeticus . . . 22
——— Magnesiæ cum Soda . . . 22
——— Menthæ Sulphuricus . . . 22
——— Menthæ Sulphuricus cum Ferri Sulphate 23
——— Menthæ Sulphuricus cum Magnesiæ Sulphate 23
——— Morphiæ cum Ferro . . . 23
——— Morphiæ Hydrochloratis . . 24
——— Olei Morrhuæ 24
——— Olei Morrhuæ Alkalinus . . 2
——— Olei Ricini 2
——— *Olei Ricini* Alkalinus . . . 2
——— *Potassæ* Effervescens . . . 9
——— *Potassii* Iodidi Ammoniatus . .

Haustus Quassiæ cum Ferro
——— Quiniæ cum Ferro
——— Quiniæ cum Potassii Iodido
——— Quiniæ Sulphatis
——— Rhei cum Magnesia
——— Scoparii compositus
——— Sennæ compositus
——— Sodæ Effervescens
——— Sodæ Tartratis
——— *Sodæ Tartratis*
——— Terebinthinæ
——— Valerianæ cum Hyoscyamo
——— Zinci Emeticus
Linctus
Linctus cum Ipecacuanha
Linimentum Opii
——— Plumbi
——— *Plumbi cum Oleo*
——— Saponis compositum
Liquor Ferri Tartarati
otio Aceti
— Acidi Carbolici
— Acidi Hydrocyanici
— Acidi Sulphurosi
— Aluminis
— Aluminis composita

—— Argenti Nitratis Infusor . .
—— Arnicæ . . . . .
—— Atropiæ Sulphatis . . .
—— Boracis cum Potassæ Chlorate .
—— Cupri Sulphatis . . . .
—— Ferri Sulphatis . . . .
—— *Hydrargyri Bichloridi Amygdal*
—— Hydrargyri Perchloridi . .
—— Hydrargyri Perchloridi Hydrocy
—— Opii . . . . . .
—— Plumbi . . . . .
—— Plumbi Acetatis . .
—— Plumbi cum Opio . .
—— Potassæ Permanganatis .
—— Potassæ Sulphuratæ . .

PA

Pilula Camphoræ cum Hyoscyamo . .
—— Camphoræ cum Opio . . . .
—— Creasoti . . . . . .
—— Creasoti cum Assafœtida . . .
—— Elaterii composita . . . .
—— Ferri Redacti . . . . . .
—— Ferri Fœtida . . . . . .
—— Ferri Sulphatis . . . . . .
—— Hydrargyri cum Creta composita .
—— Hydrargyri cum Creta et Rhei . .
—— Hydrargyri cum Scilla . . .
—— Hydrargyri Perchloridi cum Belladonna . . . . . .
—— Hydrargyri Subchloridi cum Colocynthide . . . . . .
—— Hydrargyri Subchloridi cum Jalapa .
—— Hydrargyri Subchloridi cum Rheo .
—— Hydrargyri Subchloridi cum Scammonio . . . . . .
Potassa cum Calce . . . . . .
Potus Potassæ Chloratis . . . . .
—— Potassæ Tartratis Acidæ . . .
Pulvis Cretæ Aromaticus cum Rheo . .
—— Emeticus . . . . . .
—— Rhei cum Potassæ Sulphate . .
Spiritus Ammoniæ Aromaticus . .

PAGE

Spiritus Ammoniæ Fœtidus 50
——— Carui 50
——— Caryophylli 50
——— Cassiæ 51
——— Menthæ Piperitæ 51
——— Menthæ Viridis 51
Suppositorium Opii 51
Syrupus Papaveris 52
——— Rhœados 52
Unguentum Picis cum Plumbo 53
Vinum Ferri 33
Vinum Ipecacuanhæ 53

PRINTED BY J. E. ADLARD, BARTHOLOMEW CLOSE.